

Digital Image Processing

Segmentation

Topics

- Sample filtering in frequency domain (continued from last week)
- Introduction
- Segmentation of Binary Images
 - Blob Coloring
- Segmentation of Images with Multiple Gray Levels
 - Thresholding
 - Region Growing
 - Split and Merge

Fourier Transform in MATLAB


- Use `fft2(.)` for forward fast Fourier transform
- Use `ifft2(.)` for inverse fast Fourier transform
- Use `abs(.)` to get the magnitude of the Fourier transform
- Use `angle(.)` to find the phase of the Fourier transform
- To find the Fourier transform from magnitude and phase values use: $Z = R.*\exp(i*\theta)$
- Use `real(.)` and `Imag(.)` to get the real and imaginary parts of the Fourier transform respectively
- Use `fftshift(.)` to shift the origin of the transform to the center.


Applying Low-Pass Filtering in Frequency Domain

- Open the image: `Im = imread('test.jpg');`
- Find Fourier transform of the image `FIm = fft2(Im);`
- Create a filter
 - `h=[1 1 1; 1 1 1; 1 1 1];`
 - `h=h/9;`
 - `H=fft2(h, size(Im,1), size(Im,2));`
- Multiply Fourier transform of the image by the Fourier transform of the filter
 - `R = FIm.*H;`
- Find inverse of the result: `r = ifft(R);`
- Keep the real part of the result: `r = real(r);`
- Display: `imshow(uint8(r));`

Example









Segmentation

Introduction

- Image segmentation is the process of partitioning the digital image into multiple regions that can be associated with the properties of one or more objects
- It is an initial and vital step in pattern recognition-a series of processes aimed at overall image understanding.

Definition

In mathematical sense the segmentation of the image I , which is a set of pixels, is partitioning I into n disjoint sets R_1, R_2, \dots, R_n , called segments or regions such that the union of all regions equals I .

$$I = R_1 \cup R_2 \cup \dots \cup R_n$$

Segmentation of Binary Images

- Since binary images contain only black or white pixels, segmenting objects from the background is trivial.
- Separating objects from each other is based on the neighborhood relationship of the pixels.

Blob Coloring

- Blob coloring is applied to a binary image for segmenting and labeling each object using a different color.
- 4-neighborhood or 8-neighborhood can be used for segmentation



Blob Coloring Algorithm

- Let the initial color $k=1$, scan the image from left to right and top to bottom
- If $f(x_c) = 0$ then continue
- Else
 - If($f(x_u) = 1$ and $f(x_L) = 0$)
 - Color $x_c = \text{color } x_u$
 - If($f(x_L) = 1$ and $f(x_u) = 0$)
 - Color $x_c = \text{color } x_L$
 - If($f(x_L) = 1$ and $f(x_u) = 1$)
 - Color $x_c = \text{color } x_L$
 - Color x_L equivalent to Color x_u
 - If($f(x_L) = 0$ and $f(x_u) = 0$)
 - Color $x_c = k$
 - $K=k+1$


Segmentation by Thresholding

- Thresholding: segment scalar images by creating a binary partitioning of the image intensities.
- All pixels with a value greater than a threshold value are classified as pixels of the object and the others as the background (or vice-versa)
- Finding a suitable threshold value is not always simple

Using Histogram for Selecting the Threshold Value



Example



Estimating the Threshold Value





1. Select an initial estimate for T .
2. Segment the image using T . This will produce two groups of pixels: G_1 consisting of all pixels with gray level values $>T$ and G_2 consisting of pixels with values $\leq T$.
3. Compute the average gray level values μ_1 and μ_2 for the pixels in regions G_1 and G_2 .
4. Compute a new threshold value:

$$T = \frac{1}{2}(\mu_1 + \mu_2).$$

5. Repeat steps 2 through 4 until the difference in T in successive iterations is smaller than a predefined parameter T_o .




Adaptive Thresholding

- A single (global) threshold value may not be available for all images.
- A local threshold can be found from the local processing of the image.



Region Growing

- Begins with a set of seed points and from them grows regions by appending neighboring pixels that have properties similar to initial seed.
- Gray level, texture, color, and other local features are used for measuring the similarity




Region Growing Problems

- Selecting initial seed
- Selecting suitable properties for including points
 - Example: In military applications using infra red images, the target of interest is slightly hotter than its environment


Region Split and Merge

- Divide the image into a set of arbitrary disjoint regions.
- Merge/split the regions



Quad-Tree Representation

R_1	R_2	
R_3	R_{41}	R_{42}
	R_{43}	R_{44}



The Use of Motion in Segmentation

- Compare two image taken at times t_1 and t_2 pixel by pixel (difference image)
- Non-zero parts of the difference image corresponds to the non-stationary objects

$$d_{ij}(x,y) = \begin{cases} 1 & \text{if } |f(x,y,t_1) - f(x,y,t_2)| > \theta \\ 0 & \text{otherwise} \end{cases}$$

Accumulating Differences

- A difference image may contain isolated entries that are the result of the noise
- Thresholded connectivity analysis can remove these points
- Accumulating difference images can also remove the isolated points

Questions?